

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER



Issued By

Division of Mycology and Disease Survey

Supplement 104

Index to Supplements 98 - 103

December 13, 1937



BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

in

THE PLANT DISEASE REPORTER

SUPPLEMENTS 98 - 103, 1937.

Prepared by Nellie W. Nance

Plant Disease Reporter
Supplement 104

December 31, 1937

A

- Acid bleaching, apple, 84.
Actinomyces sp., sweet potato, 192.
 chromogenus, potato, 208.
 scabies, carrot, 191.
 garden beet, 179.
 potato, 11, 61, 92, 208.
Aerial galls (non-par.), apple, 165.
Albugo candida, horseradish, 207.
 radish, 207.
 tragopogonis, salsify, 212.
Alternaria spp., apple, 2, 161.
 asparagus, 179.
 cabbage, 4.
 cauliflower, 86.
 cotton, 213.
 olive, 89.
 pepper, 91, 183.
 Rhododendron catawbiense, 242.
 squash, 13, 94.
 tomato, 14, 94, 195.
 Zinnia, 244.
brassicae, broccoli, 180.
 cabbage, 85, 182.
 cauliflower, 5, 180.
 turnip, 183.
cucumerina, cantaloupe, 186.
 cucumber, 183.
dianthi, Dianthus caryophyllus, 236.
fasciculata, tomato, 195.
longipes, tobacco, 216.
rot, pear, 10.
solani, eggplant, 208.
Alternaria solani, pepper, 183.
 potato, 12, 61, 208.
 tomato, tomato, 15, 62, 64, 195.
Ammonia discoloration, banana, 84.
Anquillulina dipsaci, see Ditylenchus
 dipsaci.
Aphanomyces euteiches, pea, 204.
 raphani, radish, 207.
Aphelenchoides fragariae, Chrysanthemum
 hortorum, 235.
 strawberry, 79, 159.
Aplanobacter insidiosum, alfalfa, 151.
 michiganense, tomato, 198.
 stewarti, field corn, 56, 148.
 sweet corn, 58, 149.
Armillaria mellea, alfalfa, 150.
 apple, 161.
 Begonia, 233.
 Cinnamomum camphora, 225.
 Crassula, 235.
 Dahlia, 236.
 filbert, 175.
 Jurians hindsii, 175.
 Persian walnut, 175.
 prune, 168.
 Quercus, 228.
 rhubarb, 207.
 Salix, 229.
 strawberry, 157.
Arsenical burn, apple, 84, 167.
Ascochyta spp., pea, 69, 70, 204, 205.
 gossypii, cotton, 213.
 imperfecta, see Pleospora rehmana,
 150.

- Ascochyta lycopersici*, potato, 209.
pinodella, pea, 204.
pisi, pea, 9, 204.
Vicia spp., 152.
rhei, rhubarb, 207.
Aspergillus spp., cotton, 213.
hegari, 144.
kaffir, 144.
flavus, cotton, 213.
field corn, 148.
niger, cotton, 213.
field corn, 148.
garlic, 6.
onion, 89.
- B
- Bacillus* spp., asparagus, 2, 84.
bean, 3.
beet, 3.
broccoli, 3.
cabbage, 4.
cucumber, 6.
Salix, 229.
amylovorus, apple, 74, 165.
Crataegus, 225.
pear, 73, 171.
quince, 157.
Sorbus americana, 229.
aroideae, *Iris*, 238.
tobacco, 217.
carotovorus, carrot, 191.
Iris, 238.
Lilium, 239.
phytophthorus, potato, 61, 210.
tracheiphilus, cantaloupe, 187.
cucumber, 189.
squash, 190.
Bacteria, pineapple, 11.
Bacterial blight, lima bean, 201.
soft rot, cabbage, 85.
celery, 86.
chicory, 5, 86.
corn, 5, 86.
lettuce, 88.
onion, 89.
pea, 91.
pepper, 10.
Bacterial soft rot, potato, 92.
radish, 12, 93.
rutabaga, 93.
spinach, 13, 93.
tomato, 95.
watermelon, 15.
Bacterium spp., dry beans, 68.
horseradish, 207.
lettuce, 7.
Matthiola incana, 240.
onion, 8.
potato, 11.
snap bean, 66, 67.
andropogoni, sorghum, 144.
Sudan grass, 154.
angulatum, tobacco, 217.
apii, celery, 178.
atrofaciens, wheat, 146.
campestre, broccoli, 180.
cabbage, 4, 182.
cauliflower, 181.
turnip, 183.
citri, *Citrus* spp., 157.
coronafaciens, oats, 140.
cucurbitae, squash, 190.
delphinii, *Delphinium*, 236.
destructans, *Lilium*, 239.
dissolvens, field corn, 148.
erodii, *Pelargonium*, 241.
flaccumfaciens, bean, 203.
gummisudans, *Gladiolus*, 237.
gypsophilae, *Gypsophila*, 238.
holcicola, sorghum, 144.
juglandis, Persian walnut, 176.
lachrymans, cucumber, 5, 87, 189.
maculicola, cauliflower, 181.
malvacearum, cotton, 71, 214.
marginatum, *Freesia*, 237.
Gladiolus, 237.
medicaginis phaseolicola, bean, 3, 203.
phaseoli, bean, 3, 85, 203.
lima bean, 202.
sojense, soybean, 151.
pisi, pea, 9, 69, 70, 206.
pruni, cherry, 169.
peach, 155.
plum, 170.

- Bacterium pruni*, *Prunus* 'Othello', 228.
 virginiana, 228.
punctulans, tomato, 95, 198.
rubrilineans, sugar cane, 221.
rubrisubalbicans, sugar cane, 221.
solanacearum, eggplant, 208.
 peanut, 213.
 potato, 210.
 tobacco, 218.
 tomato, 198.
syringae, *Syringa*, 243.
tabacum, tobacco, 218.
tardicrescens, *Iris*, 238.
tonellianum, *Nerium oleander*, 240.
translucens, barley, 141.
 secalis, rye, 143.
 undulosum, wheat, 146.
tumefaciens, apple, 165.
 Asparagus sprengeri, 232.
 Aster frikartii, 232.
 Chrysanthemum hortorum, 234.
 Dahlia, 236.
 Euonymus, 237.
 hops, 216.
 peach, 156.
 Populus, 227.
 prune, 168.
 quince, 157.
 raspberry, 173.
 Rosa, 242.
 rutabaga, 180.
 youngberry, 174.
vesicatorium, pepper, 10, 91, 184.
 tomato, 199.
vignae, lima bean, 202.
vitians, lettuce, 194.
 Baldwin spot, see bitter pit.
 Barberry eradication in 1936, 30-35.
 Basal stem rot, *Lilium*, 240.
Basisporium gallarum, field corn, 146.
 Big vein (virus), lettuce, 194.
 Bitter pit (non-par.), apple, 2, 165.
 peach, 156.
 Black discolorations, chicory, 5.
 end (non-par.), pear, 171.
 heart (physiological), celery, 86,
 178.
 leaf speck (non-par.), cabbage, 4.
 Black root (undet.), radish, 207.
 strawberry, 79, 159.
 Blakemore yellows, see variegation.
 Blast, oats, 140.
 Blossom end rot (non-par.), pepper, 185.
 summer squash, 190.
 tomato, 62, 64, 196, 200
 watermelon, 186.
 Blue mold rot, see also *Penicillium*.
 grape, 87.
 plum, 91.
 prune, 91.
 squash, 94.
 Boron deficiency, sugar beet, 219.
 injury, pea, 206.
 tomato, 200.
Botryosphaeria sp., pear, see *Dothi-*
 orella, 171.
Botrytis, see also gray mold rot.
 spp., apple, 2, 83, 161.
 artichoke, 84.
 Begonia, 233.
 carrot, 4.
 grape, 6.
 lettuce, 7.
 Lilium, 240.
 candidum, 240.
 onion, 8, 176.
 orange, 8.
 pea, 9, 204.
 Pelargonium, 241.
 pepper, 10, 11, 91.
 Primula, 242.
 Ranunculus, 242.
 Rhododendron, 242.
 rhubarb, 13.
 Rose, 242.
 rutabaga, 13.
 Saintpaulia, 243.
 squash, 13.
 strawberry, 14.
 Tagetes, 243.
 allii, onion, 176.
 cinerea, *Anemone*, 231.
 Antirrhinum majus, 231.
 asparagus, 179.
 Begonia, 233.
 blackberry, 171.

- Botrytis cinerea*, *Chrysanthemum hortorum*, 234.
Delphinium, 236.
Dianthus carvophyllus, 236.
 eggplant, 208.
Gardenia, 237.
Iris, 238.
 lettuce, 193.
 potato, 209.
 raspberry, 172.
Rosa, 242.
 strawberry, 157.
Syringa, 243.
convoluta, *Iris*, 239.
elliptica, *Lilium candidum*, 240.
 formosanum, 240.
 regale, 240.
paeoniae, *Paeonia*, 240.
polyblastis, *Narcissus*, 240.
tulipae, *Tulipa*, 243.
Bremia lactucae, lettuce, 7, 193.
 Brittle root (undet.), horseradish, 207.
 Bronzing (undet.), grape, 175.
 Brown blight, lettuce, 7.
 discolorations, chicory, 5.
 root rot (undet.), tobacco, 218.
 spotting, orange, 8.
 stem, celery, 5.
 Browning (non-par.), cauliflower, 131.
 Bruise injury, pineapple, 11.
 Bud blight (bacterial), apricot, 167.
 Bunchy growth (virus), tomato, 199.
- C
- Calico (non-par.), sugar cane, 221.
Carpodium pini, *Pinus strobus*, 226.
 Cat face (non-par.), tomato, 200.
Cephalosporium sp., garden beet, 179.
 Ulmus, 229.
 acremonium, field corn, 147.
Cephalothecium roseum, apple, 2.
Ceratostomella sp., *Platanus*, 227.
 adiposum, sugar cane, 221.
 fimbriata, sweet potato, 59, 192.
 ips, *Pinus* spp., 226.
 pini, *Pinus* spp., 226.
Ceratostomella ulmi, elm, 22.
 Ulmus, 229.
 americana, 19.
Cercospora sp., cotton, 213.
 althaeina, *Althaea rosea*, 231.
 apii, celery, 5, 86, 177.
 carotae, carrot, 191.
 armoraciae, horseradish, 207.
 atricincta, *Zinnia*, 244.
 beticola, garden beet, 179.
 sugar beet, 72, 219.
 swiss chard, 180.
 calendulae, *Calendula*, 233.
 capsici, pepper, 183.
 circumscissa, peach, 154.
 columnare, bean, 203.
 cruenta, cowpea, 153.
 lima bean, 201.
 davisii, sweet clover, 151.
 glomerata, *Carya elliptica*, 237.
 mali, apple, 161.
 medicaginis, alfalfa, 150.
 nicotianae, tobacco, 216.
 oryzae, rice, 142.
 personata, peanut, 213.
 rubi, youngberry, 174.
 variicolor, *Paeonia*, 241.
 violae, *Viola tricolor*, 244.
Cercosporiella albomaculans, rutabaga, 180.
 turnip, 183.
 Chemical injury, apple, 2.
 Chlorosis (non-par.), apple, 166.
 grape, 175.
 (lime induced), peach, 156.
 strawberry, 161.
Chrysonyxa cassandrae, *Picea mariana*, 226.
 piperiana, *Rhododendron*, 242.
 Citrus canker, citrus, 41.
 eradication, 41-44.
Cladosporium, apple, 2.
 pepper, 11, 91.
 squash, 13.
 tomato, 95.
 carpophilum, cherry, 169.
 peach, 76, 154.
 plum, 170.
 cucumerinum, cantaloupe, 186.

- Cladosporium cucumerinum*, cucumber, 188.
 squash, 190.
 summer squash, 190.
 fulvum, tomato, 195.
 paeoniae, Paeonia, 241.
 piscicola, pea, 204.
 scab, pea, 9, 91.
- Claviceps purpurea*, *Agropyron dasy-*
 stachyum, 153.
 pauciflorum, 153.
 barley, 140.
 Elymus condensatus, 153.
 glaucus, 153.
 Poa canbyi, 153.
 rye, 54, 143.
 wheat, 144.
- Cloudy spot (cause unknown), tomato, 201.
- Coccomyces hiemalis*, cherry, 77, 168.
 prunophorae, plum, 169.
 prune, 168.
- Coleosporium campanulae*, *Campanula*
 rapunculoides, 234.
 Pinus sylvestris, 226, 234.
 solidaginis, *Aster alpinus*, 232.
 Callistephus chinensis, 233.
 Pinus spp., 226.
 resinosa, 226.
 rigida, 226.
 vernoniae, *Pinus palustris*, 226.
- Colletotrichum* sp., eggplant, 208.
 falcatum, sugar cane, 221.
 fragariae, strawberry, 157.
 gloeosporioides, avocado, 3.
 grapefruit, 6.
 orange, 8, 90.
 graminicolum, oats, 140.
 rye, 143.
 lagenarium, cantaloupe, 187.
 cucumber, 6, 188.
 watermelon, 15, 96, 185.
 lindemuthianum, bean, 3, 85, 202.
 cowpea, 153.
 dry beans, 68.
 snap bean, 66, 67.
 lineola, Sudan grass, 154.
 musarum, banana, 84.
 nigrum, pepper, 183.
 phomoides, tomato, 14, 196.
- Colletotrichum trifolii*, alfalfa, 150.
 clover, 152.
 violae-tricoloris, *Viola* sp., 244.
- Coniothyrium* sp., *Paeonia montan*, 241.
 concentricum, *Yucca*, 244.
 pyrinum, apple, 161.
 ulmi, *Ulmus*, 229.
- Cork (non-par.), apple, 166.
 pear, 171.
- Corky center, grape, 175.
- Corticium centrifugum*, apple, 83.
 stevensii, apple, 161.
 vagum, bean, 202.
 broccoli, 180.
 cabbage, 181.
 cotton, 213.
 Dianthus caryophyllus, 236.
 lettuce, 194.
 pea, 205.
 peanut, 213.
 potato, 60, 209.
 radish, 207.
 rhubarb, 207.
 sweet potato, 192.
 tobacco, 216.
- Coryneum beijerinckii*, almond, 175.
 apricot, 167.
 peach, 154.
 prune, 168.
 sweet cherry, 168.
 wild cherry, 168.
- Crack-stem (non-par.), celery, 5, 178.
- Crazy top (non-par.), cotton, 215.
- Crinkle, cherry, see mosaic.
 (virus), strawberry, 160.
 leaf (soil deficiency), cotton, 215
- Cronartium comptoniae*, *Pinus rigida*, 22
 sinensis, 227.
 sylvestris, 227.
 quercum, *Pinus* spp., 227.
 banksiana, 227.
 ribicola, *Pinus lambertiana*, 227.
 Ribes cruentum, 28.
 nigrum, 29.
 roezli, 28.
 sugar pine, 28.
 white pine, 26.
- Crown girdle (undet.), *Aleurites*, 224.

- Cryptosporrella viticola*, grape, 174.
 Cucumber mosaic virus, tobacco, 218.
Cucurbitaria pithyophila, *Pinus monticola*, 227.
 Curly dwarf (virus), potato, 211.
 top (virus), bean, 204.
 cantaloupe, 187.
 cucumber, 189.
 garden beet, 179.
 lima bean, 202.
 pepper, 184.
 spinach, 212.
 squash, 190.
 sugar beet, 72, 220.
 swiss chard, 180.
 tomato, 62, 64, 199.
 watermelon, 186.
 Zinnia, 244.
Curvularia lunata, rice, 143.
Cuscuta sp., carrot, 191.
 Chrysanthemum hortorum, 235.
 Petunia, 241.
 subinclusa, *Schinus molle*, 229.
 Cuts, sweet potato, 14.
Cylindrosporium sp., *Celtis*, 225.
 parsnip, 201.
 chrysanthemi, *Chrysanthemum hortorum*, 234.
 filipendulae, *Spiraea*, 243.
 negundinis, *Acer*, 223.
Cytospora sp., *Populus*, 227.
 Sorbus americana, 229.
 chrysosperma, *Populus*, 227.
 dentata, 227.
 Salix, 229.
 kunzei, *Picea* spp., 226.
 sacchari, sugar cane, 221.
- D
- Damping off, sugar beet, 219, 220.
Dematophora sp., *Echium*, 237.
 Populus, 227.
 necatrix, see *Rosellinia necatrix*.
Dendrophoma obscurans, strawberry, 157.
 Deterred blossoming (physiological),
 Antirrhinum majus, 232.
Diaporthe phaseolorum, lima bean, 201.
Dibotryon morbosum, see also *Plowrightia*.
 Prunus demissa, 228.
 wild cherry, 228.
Didymella applanata, raspberry, 172.
Didymellina iridis, Iris, 239.
 Die-back, apple, 167.
 Persian walnut, 176.
 Sorbus americana, 229.
Diplocarpon earliana, strawberry, 79, 158
 rosae, *Rosa*, 243.
Diplodia, grapefruit, 6, 7, 88.
 orange, 90.
 watermelon, 96, 186.
 gossypina, cotton, 214.
 natalensis, *Aleurites*, 224.
 Pandanus javanicus variegatus,
 241.
 peanut, 213.
 tubericola, sweet potato, 14, 192.
 watermelon, 15.
 zeae, field corn, 56, 147.
 sweet corn, 58, 149.
 Discoloration (*ammonia fumes*), banana, 84.
 (physiological), chicory, 86.
Ditylenchus dipsaci, *Narcissus*, 240.
 potato, 211.
 Dormant hills, hops, 216.
Dothichiza populea, *Populus*, 227.
Dothiorella sp., pear, 171.
 (*Botryosphaeria*) sp., *Aleurites*, 224.
 Double boll (physiological), cotton, 215.
 fruits (non-par.), apricot, 167.
 Drought injury, grape, 175.
 pea, 206.
 potato, 211.
 Quercus, 223.
 raspberry, 173.
 strawberry, 160.
 sweet potato, 193.
 tomato, 200.
 spot (non-par.), apple, 166.
 pear, 171.
 plum, 170.
 Dutch elm disease eradication program
 18-25.
 Dying, walnut trees, 225.
 of leaves, Iris, 239.

E

- Ear rots, field corn, 56.
 sweet corn, 149.
 worn, corn, 86.
 Elsinoe ampelina, grape, 174.
 phaseoli, lima bean, 201.
 veneta, blackberry, 171.
 raspberry, 172.
 youngberry, 174.
 Endothia gyrosa, Quercus, 228.
 parasitica, Castanea dentata, 224.
 pumila, 225.
 Entomosporium thuemenii, Crataegus, 225.
 Entyloma oryzae, rice, 142.
 Erysiphe sp., Dahlia, 236.
 Delphinium, 236.
 cichoracearum, cantaloupe, 187.
 Chrysanthemum hortorum, 234.
 cucumber, 188.
 Phlox, 242.
 pumpkin, 190.
 salsify, 212.
 squash, 190.
 Zinnia, 244.
 graminis, barley, 140.
 oats, 140.
 rye, 143.
 wheat, 144.
 polygoni, alfalfa, 150.
 bean, 202.
 Callistephus chinensis, 233.
 cowpea, 152.
 Delphinium, 236.
 pea, 205.
 rutabaga, 180.
 Trifolium sp., 151.
 pratense, 151.
 Exobasidium vaccinii, Azalea, 232.
 nudiflora, 232.
- F
- Fabraea maculata, Crataegus, 225.
 pear, 73, 170.
 quince, 157.
 Fasciation, Clarkia elegans, 235.
 sweet potato, 193.
- Foot rots, wheat, 50.
 Freeze injury, potato, 12.
 spinach, 13.
 Friction bruises, watermelon, 15.
 Frost injury, apple, 167.
 grape, 175.
 Ilex, 225.
 Fruit rots, strawberry, 79.
 Fuligo sp., strawberry, 158.
 septica, strawberry, 158.
 violacea, strawberry, 158.
 Fumago vagans, Chrysanthemum hortorum,
 234.
 hops, 215.
 Fumigation injury, potato, 92.
 Fungous rots, cranberries, 5.
 Fusarium spp., alfalfa, 150.
 asperagus, 2, 84, 179.
 bean, 202.
 Buxus, 233.
 cantaloupe, 187.
 carrot, 86.
 Cirsium arvense, 235.
 cucumber, 188.
 Cyclamen, 235.
 Dahlia, 236.
 Dianthus caryophyllus, 236.
 field corn, 147, 148.
 Freesia, 237.
 Gladiolus, 237.
 Gypsophila alba, 238.
 Iris, 238.
 lima bean, 201.
 oats, 139.
 onion, 8, 89, 176.
 peanut, 213.
 pepper, 183.
 Petunia, 241.
 pineapple, 91.
 potato, 11, 61, 92, 209.
 radish, 12.
 rutabaga, 13, 93.
 sorghum, 144.
 spinach, 212.
 squash, 13, 190.
 sweet clover, 151.
 corn, 149.
 potato, 59.

- Fusarium* spp., *Trifolium pratense*, 152.
 wheat, 144, 145.
 yam, 192.
apii, celery, 177.
 pallidum, celery, 177.
bulbigenum, *Narcissus*, 240.
 batatatis, sweet potato, 192.
 lycopersici, tomato, 196.
 niveum, cantaloupe, 187.
 watermelon, 186.
cepa, see *F. oxysporum* f. 7.
conglutinans, cabbage, 181.
 cauliflower, 181.
 Tagetes, 243.
 callistephi, *Callistephus*
 chinensis, 233.
culmorum leteius, oats, 139.
javanicum, squash, 190.
lini, flax, 141.
lycopersici, tomato, 62, 64.
malli, see *F. solani*.
martii phaseoli, cowpea, 152.
moniliformae, sugar cane, 221.
orthoceras longius, strawberry, 153.
 pisi, pea, 69, 70, 205.
oxysporum, *Gladiolus*, 237.
 f. 1, potato, 209.
 f. 2, sweet potato, 192.
 f. 7, onion, 176.
 f. 8, pea, 205.
 nicotianae, tobacco, 217.
roseum, cotton, 214.
rot, cantaloupe, 4.
 honeyball, 7.
 honeydew, 7.
sambucinum f. 6, potato, 209.
solani, onion, 176.
 spinach, 212.
 tomato, 196.
 eumartii, potato, 209.
 martii f. 3, bean, 202.
 f. 2, pea, 205.
sulphureum, see *F. sambucinum* f. 6.
trichothecioides, potato, 209.
vasinfectum, cotton, 71, 214.
 tracheiphilum, cowpea, 152.
 zonatum f. 1, onion, 176.
- Fusicladium orbiculatum*, see *Venturia*
 inaequalis cinerascens.
 saliciperduum, *Salix*, 229.
- G
- Geotrichum* sp., cantaloupe, 4.
 Giant hill (virus), potato, 211.
Gibberella saubinetii, barley, 52, 140.
 field corn, 147.
 oats, 139.
 rye, 143.
 wheat, 50, 145.
Gloeodes pomigena, apple, 161.
 pear, 171.
Gloeosporium sp., *Syringa*, 243.
 apocryptum, *Acer*, 223.
 boxelder, 223.
 caulivorum, red clover, 152.
 inconspicuum, *Ulmus*, 229.
 perennans, apple, 2, 161.
 piperatum, pepper, 183.
Glomerella cingulata, apple, 74, 161.
 Ligustrum, 239.
 pepper, 183.
 Persian walnut, 176.
 gossypii, cotton, 71, 214.
 piperata, pepper, 183.
Gnomonia juglandis, Persian walnut, 176.
 leptostyla, *Juglans cinerea*, 225.
 nigra, 225.
 Persian walnut, 176.
 ulmea, *Ulmus*, 229.
 veneta, *Platanus*, 227.
 Quercus, 228.
 Graft blight, *Syringa*, 243.
 Gray mold rot, see also *Botrytis*.
 grape, 87.
 onion, 89.
 pea, 91.
 pear, 90.
 pepper, 91.
 rhubarb, 93.
 rutabaga, 93.
 Growth cracks, potato, 11.
 sweet potato, 14.
 tomato, 200.

- Growth knobs, potato, 11.
- Guignardia aesculi*, *Aesculus hippocastanum*, 224.
- bidwellii*, *Ampelopsis tricuspidata*, 231.
- grape, 78, 174.
- Gum pockets (undet.), prune, 168.
- Gummosis, apricot, 167.
- peach, 156.
- Gymnoconia peckiana*, raspberry, 172.
- Gymnosporangium* spp., apple, 74, 162.
- Crataegus*, 225.
- clavariaeforme*, *Juniperus* sp., 226.
- communis*, 226.
- depressa*, 226.
- clavipes*, apple, 162.
- Crataegus*, 225.
- Cydonia japonica*, 236.
- Juniperus* sp., 226.
- communis depressa*, 226.
- virginiana*, 226.
- quince, 157.
- globosum*, apple, 162.
- Crataegus*, 225.
- Juniperus virginiana*, 226.
- juniperi-virginianae*, apple, 162.
- Juniperus* sp., 226.
- virginiana*, 226.
- juvenescens*, *Juniperus horizontalis*, 226.
- nidus-avis*, *Juniperus virginiana*, 226.
- H
- Hail injury, apple, 167.
- watermelon, 96.
- Haplospheeria deformans*, logan blackberry, 172.
- youngberry, 174.
- Hay wire (virus), potato, 211.
- Heart rot, cherry, 168.
- Heat canker (non-par.), flax, 142.
- injury, apple, 83.
- Helminthosporium* sp., barley, 141.
- sorghum, 144.
- wheat, 144.
- avenae, oats, 140.
- curvulum*, see *Curvularia lunata*.
- Helminthosporium gramineum*, barley, 52, 140.
- oryzae*, rice, 143.
- sativum*, barley, 141.
- wheat, 145.
- stenospilum*, sugar cane, 221.
- turcicum*, Sudan grass, 154.
- sweet corn, 149.
- vagens*, *Poa* spp., 153.
- Hendersonia eucalypti*, *Eucalyptus*, 225.
- Heterodera marioni*, 97-122.
- Abelia*, 230.
- Aconitum*, 230.
- Althaea rosea*, 231.
- Anemone*, 231.
- sylvestris*, 231.
- Coleus blumei*, 235.
- cotton, 71, 215.
- Crotalaria striata*, 114.
- cucumber, 189.
- Cyclamen*, 235.
- Cyperus rotundus*, 113.
- garden beet, 179.
- Gossypium barbadense*, 115.
- Heliotropium*, 238.
- Ligustrum amurense*, 118.
- ovalifolium*, 118.
- mulberry, 118.
- peach, 156.
- Pittosporum tobira*, 118.
- potato, 211.
- strawberry, 160.
- tomato, 199.
- schachtii*, sugar beet, 72, 219, 220.
- Heterosporium gracile*, *Belamcanda*, 233.
- see *Didymellina iridis*.
- High temperatures, strawberry, 160.
- Hollow-heart, potato, 11, 92.
- Hopperburn (leaf hopper), potato, 61, 211.
- Hot weather injury, *Paeonia*, 241.
- Hylurgopinus rufipes*, 19.
- Hypoxyton* sp., *Populus*, 228.
- marginatum*, *Betula*, 224.
- pruinatum*, *Populus*, 228.
- I
- Ice-burn, lettuce, 88.

- insect injury, spinach, 93.
 Internal breakdown, apple, 2, 84.
 peach, 90.
 brown rot (non-par.), potato, 211.
 browning (physiological), water-
 melon, 96, 186.
 decline, lemon, 8.
 necrosis (virus), pea, 206.
 rot, pepper, 184.
 Interveinal browning (undet.),
 Aleurites, 224.
 necrosis; Hydrangea, 238.
 Isariopsis griseola, bean, 203.

J

- Jonathan spot (non-par.), apple, 166.
 June yellows; see variegation.

L

- Leaf blight, Begonia, 233.
 Hedera helix, 238.
 yam, 192.
 curl (virus), raspberry, 173.
 necrosis (nutritional disturbance),
 grape, 175.
 roll, potato, 60, 211.
 tomato, 201.
 scorch (lack of nitrogen), Begonia,
 233.
 spot (physiological burning),
 Camellia, 234.
 Leptosphaeria coniothyrium, raspberry,
 172.
 salvini, rice, 143.
 Leptothyrium pomi, apple, 163.
 Lightning injury, cotton, 215.
 tomato, 201.
 Little peach (virus), peach, 156.

M

- Macrophoma candollei, Buxus, 233.
 fici, fig, 157.
 Macrosporium sp., eggplant, 208.
 horseradish, 207.
 onion, 89, 176.

- Macrosporium sp., tomato, 201.
 carotae, carrot, 191.
 porri, onion, 176.
 rot, onion, 8.
 sarcinaeforme, Trifolium pratense,
 152.
 tomato, see Alternaria tomato.
 Malnutrition (non-par.), cotton, 71.
 Marssonina sp., Populus, 228.
 martini, Quercus prinus, 228.
 salicis, Salix, 229.
 Marssonina panattoniana, lettuce, 194.
 Mechanical injury, pineapple, 11.
 Melampsora lini, flax, 141.
 Melampsorella cerastii, Picea engel-
 mannii, 226.
 Melanconium fuliginéum, grape, 174.
 oblongum, Juglans cinerea, 225.
 Microsphaera alni, Euonymus atropur-
 pureus, 237.
 Platanus, 227.
 Syringa, 243.
 Mild mosaic (virus), potato, 211.
 Missing hills, hops, 216.
 Monilochaetes infuscans, sweet potato,
 193.
 Monochaetia desmazierii, Quercus alba,
 228.
 Mononchus papillatus, 105.
 Moron (virus), potato, 211.
 Mosaic (virus), alfalfa, 151.
 Anemone japonica, 231.
 Antirrhinum majus, 232.
 apple, 165.
 Aquilegia coerulea, 232.
 bean, 204.
 cabbage, 182.
 cantaloupe, 187.
 carrot, 191.
 Catalpa, 225.
 catnip, 187.
 cauliflower, 181.
 celeriac, 178.
 celery, 178.
 cherry, 169.
 cotton, 215.
 cowpea, 153.
 cucumber, 189.

- Mosaic (virus), Dahlia, 236.
 Delphinium, 236.
 dry beans, 68.
 eggplant, 208.
 garden beet, 179.
 Gladiolus, 238.
 Iris, 239.
 Lathyrus odoratus, 239.
 lettuce, 194.
 Lilium, 240.
 longiflorum giganteum, 240.
 lima bean, 202.
 logan blackberry, 172.
 Matthiola incana, 240.
 Narcissus, 240.
 pea, 9, 206.
 peach, 156.
 Pelargonium, 241.
 pepper, 184.
 potato, 60, 211.
 radish, 207.
 raspberry, 173.
 rhubarb, 207.
 rutabaga, 180.
 snap bean, 66, 67.
 soybean, 151.
 spinach, 212.
 squash, 190.
 strawberry, 160, 161.
 sugar cane, 221.
 summer squash, 190.
 sweet clover, 151.
 swiss chard, 180.
 tobacco, 218.
 tomato, 199.
 Trifolium pratense, 152.
 wild cucumber, 187.
 Ulmus, 230.
 yam, 192.
 Zinnia, 244.
- clover (virus), bean, 204.
 ring (virus), cabbage, 182.
 cauliflower, 181.
 tobacco (virus), pepper, 184.
 yellow (virus), bean, 204.
- Mosaic disease of peach eradication,
 45-46.
- Mosaic mottle (virus), apricot, 167.
- Mosaic mottle (virus), Hesperis
 matronalis, 238.
 Populus, 228.
- Mottle leaf, cherry, 169.
 (virus), prune, 168.
- Mycosphaerella brassicicola, cabbage,
 4, 182.
 cauliflower, 181.
 citrullina, cantaloupe, 187.
 cucumber, 188.
 squash, 190.
 watermelon, 186.
- fragariae, strawberry, 79, 158.
 gossypina, cotton, 214.
 pinodes, pea, 69, 70, 204, 205.
 pomi, apple, 163.
 rubi, logan blackberry, 172.
 raspberry, 172.
 youngberry, 174.
- rubina, raspberry, 172.
 sentina, pear, 73.
 sentina, sand pear, 170.
- Myxosporium corticolum, apple, 163.
- N
- Necrosis, apricot, 167.
 peach, 156.
- Nectria sp., Persian walnut, 176.
 rousselliana, Buxus, 233.
- Needle blight (winter injury), Picea
 spp., 226.
- Neofabraea malicorticis, apple, 163.
 Neopeckia coulteri, Pinus contorta, 227.
- Nigrospora sphaerica, field corn, 146.
- Nummularia discreta, apple, 163.
 punctulata, Betula, 224.
- O
- Obscure disease (virus), hops, 216.
- Oedema (non-par.), Gardenia, 237.
- Oidium sp., Antirrhinum majus, 231.
 Hydrangea, 238.
 Petunia, 241.
 Phlox, 242.
- Oil spotting, lemon, 8.
- Oospora lactis parasitica, tomato, 196.

Ophiobolus graminis, wheat, 145.
oryzinus, rice, 143.
 Over-maturity, pea, 9, 90.

P

Pansy spot (Thrip injury), apple, 2.
Penicillium, see also blue mold rot.
 spp., apple, 163.

Castanea, 224.
 field corn, 148.
 garlic, 6, 87.
Gladiolus, 237.
 grape, 6.
 grapefruit, 7.
 lemon, 7.
 orange, 8.
 pear, 10.
 plum, 11.
 prune, 11.
 sweet corn, 149.
 sweet potato, 14.

digitatum, lemon, 88.
expansum, apple, 1, 83, 163.
gladioli, *Gladiolus*, 238.
italicum, grapefruit, 88.
 orange, 89.

ubiquitus, strawberry, 158.
Peronospora destructor, onion, 176.
effusa, spinach, 13, 93, 212.
parasitica, cabbage, 4, 182.
 cauliflower, 180.
 collards, 180.
 radish, 207.
 rutabaga, 93.
pisi, pea, 206.
schachtii, garden beet, 179.
 sugar beet, 221.
 swiss chard, 180.
tabacina, tobacco, 217.
trifoliorum, alfalfa, 150.
viciae, pea, 206.

Pestalozzia sp., *Sequoia gigantea*, 229.

Petalinus leaf (non-par.), *Tulipa*, 243.

Pezizella lythri, strawberry, 158.

Phlyctaena linicola, flax, 142.

Phoma sp., apple, 163.

Buxus, 233.

Phoma sp., *Syringa*, 243.

tomato, 201.

betae, sugar beet, 72, 219.

destructiva, tomato, 15, 94, 196.

lingam, broccoli, 180.

cabbage, 182.

turnip, 183.

medicaginis, see *Pleospora rehmanniana*, 150.

pomi, see *Mycosphaerella pomi*.

terrestris, onion, 176.

zeicola, field corn, 148.

Phomopsis sp., *Azalea*, 232.

Buxus, 233.

Gardenia, 237.

grapefruit, 7, 88.

Ilex, 225.

Ligustrum, 239.

orange, 90.

callistephi, *Callistephus chinensis*, 234.

vexans, eggplant, 6, 87, 208.

Phony peach (virus), peach, 36, 156.

Phosphorus deficiency, field corn, 148.
 sugar beet, 219.

Phragmidium rubi-idaei, raspberry, 172.

Phyllachora trifolii, *Trifolium* sp., 152.
 hybridum, 152.

pratense, 152.

repens, 152.

Phyllactinia corylea, *Ulmus*, 230.

Phyllosticta sp., bean, 203.

Buxus, 233.

Cyclamen, 235.

Gardenia, 237.

Viola, 244.

antirrhini, *Antirrhinum majus*, 231.

extensa, *Eucalyptus*, 225.

liriodendrica, *Liriodendron tulipifera*, 226.

solitaria, apple, 74, 163.

straminella, rhubarb, 207.

syringae, *Syringa*, 243.

Phymatotrichum omnivorum, *Acer*, 224.

alfalfa, 150.

apple, 163.

boxelder, 224.

cotton, 71, 214.

- Phymatotrichum omnivorum*, grape, 174.
 peanut, 213.
 soybean, 151.
 sweet clover, 151.
- Physalospora miyabeana*, *Salix*, 229.
 obtusa, apple, 74, 164.
 pear, 90, 171.
 quince, 157.
 rhodina, see *Diplodia gossypina*.
- Physarum cinereum*, *Poa pratensis*, 153.
 Trifolium repens, 152.
- Physiological spotting, pea, 9.
 troubles, apple, 2.
 lemon, 8.
- Physoderma zeae-maydis*, field corn, 147.
- Phytomonas* sp., pear, 171.
 fascians, *Lathyrus odoratus*, 239.
 primulae, *Primula*, 242.
 rhizogenes, apple, 165.
 vitians, see *Bacterium vitians*.
- Phytophthora* sp., *Antirrhinum majus*, 231.
 cucumber, 189.
 Gerbera jamesonii, 237.
 Paeonia, 241.
 pepper, 184.
 strawberry, 14, 94, 158.
 Thuja, 229.
 Zantedeschia, 244.
- cactorum*, *Antirrhinum majus*, 231.
 rhubarb, 207.
- cambivora*, Persian walnut, 176.
- capsici*, pepper, 184.
- infestans*, potato, 12, 60, 210.
 tomato, 15, 95, 197.
- megasperma*, cabbage, 182.
- parasitica*, tomato, 197.
 nicotianae, tobacco, 217.
- phaseoli*, lima bean, 201.
- root rot, pepper, 184.
- rot, pepper, 10.
- terrestris*, tomato, 95.
- Piricularia oryzae*, rice, 142.
- Pitting, lemon, 8.
- Plasmodiophora brassicae*, broccoli, 180.
 cabbage, 182.
 cauliflower, 181.
- Plasmopara viticola*, grape, 174.
- Plenodomus destruens*, sweet potato, 14,
 59, 193.
- Pleospora* sp., *Camellia*, 234.
 lycopersici, tomato, 14, 197.
 rehmiana, alfalfa, 150.
- Plowrightia morbosa*, see also *Dibotryon*.
 cherry, 169.
 plum, 169.
 prune, 168.
- Podosphaera* spp., apple, 164.
 cherry, 169.
 leucotricha, apple, 164.
 oxyacanthae, apple, 164.
 cherry, 169.
 peach, 154.
 Prunus, 228.
- Polyporus hispidus*, *Quercus*, 228.
 squamosus, *Ulmus americana*, 230.
- Polyspora lini*, flax, 142.
- Poor germination, potato, 211.
- Poorly-filled pods, pea, 9, 90.
- Poria* sp., cherry, 168.
 prune, 168.
 ambigua, prune, 168.
 spissa, *Acer*, 224.
- Pox, grapefruit, 6, 88.
- Pseudodiscosia avenae*, oats, 140.
- Pseudoperonospora cubensis*, cantaloupe,
 187.
 cucumber, 188.
 humuli, hops, 215.
- Pseudopeziza medicaginis*, alfalfa, 150.
- Psyllid yellows, potato, 211.
- Puccinia andropogonis pentstemonis*,
 Penstemon acuminatus, 241.
 Penstemon unilateralis x
 torreyi, 241.
- anomala*, barley, 141.
- antirrhini*, *Antirrhinum majus*, 232.
- asparagi*, asparagus, 179.
 onion, 176.
- chrysanthemii*, *Chrysanthemum hortorum*,
 235.
- coronata*, oats, 55, 139.
- glumarum*, wheat, 145.
- graminis*, *Agrostis alba*, 153.
 barley, 52, 141.

- Puccinia graminis*, *Berberis* spp., 34.
 oats, 55, 139.
 rye, 54, 143.
 timothy, 153.
 wheat, 30, 50, 145.
helianthi, Jerusalem artichoke, 192.
hibisciata, *Hibiscus oculiroseus*,
 238.
iridis, *Iris*, 239.
 douglasiana, 239.
 longipetala, 239.
 microsiphon, 239.
malvacearum, *Althaea rosea*, 231.
menthae, mint, 216.
 Monarda didyma, 240.
 spearmint, 216.
obtegens, *Cirsium arvense*, 235.
purpurea, sorghum, 144.
 Sudan grass, 154.
rubigo-vera secalis, rye, 54, 143.
 tritici, wheat, 50, 145.
schedonnardi, cotton, 214.
sorghu, field corn, 147.
 sweet corn, 149.
tumidipes, *Lycium halimifolium*, 240.
violae, *Viola*, 244.
Pucciniastrum americanum, raspberry, 172.
 pustulatum, *Clarkia elegans*, 235.
 Purple root (undet.), radish, 207.
Pyrenochaeta phloxidis, Phlox, 242.
Pyrenopeziza medicaginis, alfalfa, 150.
Pyrenophora teres, barley, 52, 141.
Pythium spp., alfalfa, 150.
 cucumber, 6, 87.
 Gladiolus, 238.
 pea, 206.
 peanut, 213.
 pepper, 184.
 potato, 92.
 radish, 207.
 rice, 142.
 sorghum, 144.
 spinach, 212.
 summer squash, 190.
aphanidermatum, radish, 207.
arrhenomanes, sorghum, 144.
debaryanum, *Amaranthus caudatus*,
 231.
Pythium debaryanum, flax, 142.
 Picea spp., 226.
 tobacco, 217.
 nagaii, rice, 142.
 ultimum, sweet potato, 193.
- R
- Ramularia* sp., *Rhododendron*, 242.
 turnip, 183.
armoraciae, horseradish, 207.
centranthi, *Centranthus ruber*, 234.
pastinacae, parsnip, 201.
Rhizoctonia, see also *Corticium vagum*.
 sp., *Agrostis* spp., 153.
 asparagus, 179.
 Buxus, 233.
 Chrysanthemum hortorum, 235.
 cowpea, 152, 153.
 potato, 92, 209.
 radish, 207.
 rice, 143.
 spinach, 212.
 strawberry, 159.
 sugar beet, 219, 220.
 tomato, 95, 197.
 Viola, 244.
bataticola, bean, 203.
 cowpea, 152.
 field corn, 147.
 honeyball, 7.
 honeydew, 7.
 pepper, 11.
 sorghum, 144.
 Zinnia, 244.
solani, see also *Corticium vagum*.
 Anchusa, 231.
 bean, 3.
 Celosia cristata, 234.
 cowpea, 152.
 Delphinium, 236.
 pepper, 184.
 Picea excelsa, 226.
 Reseda odorata, 242.
 Rhododendron catawbiense, 242.
 strawberry, 158, 159.
 tomato, 197.
 Zinnia, 244.

- Rhizopus* spp., bean, 3.
 field corn, 148.
 honeyball, 7.
 honeydew, 7.
 peach, 90.
 pineapple, 11.
 plum, 11.
 prune, 11.
 tomato, 94, 197.
nigricans, squash, 190.
 strawberry, 159.
 rot, avocado, 3.
 cucumber, 6.
 peach, 9.
 pepper, 10, 91.
 strawberry, 94.
 sweet potato, 94.
 tomato, 15.
 soft rot, strawberry, 13.
 sweet potato, 14.
Rhynchosporium secalis, barley, 141.
Rhytisma acerinum, Acer, 224.
 punctatum, Acer spicatum, 224.
 Ring spot (virus), Dahlia, 236.
 rhubarb, 207.
 tobacco, 218.
 Rodent injury, sweet potato, 14.
 Root desiccation, Dahlia, 236.
 rot, cherry, 168.
 dry beans, 68.
 field corn, 56, 148.
 flax, 142.
 hops, 216.
 pea, 69, 70.
 snap bean, 66, 67.
 strawberry, 79.
 sweet corn, 149.
 Root-knot nematode conference, proceedings, 97-122.
Rosellinia necatrix, apple, 164.
 Ligustrum, 239.
 Rosette, apple, 166.
 peanut, 213.
 Rugose mosaic (virus), potato, 211.
 Russetting, bean, 3, 85.
 prune, 168.
- S
- Sand-blow injury, cantaloupe, 187.
 cucumber, 188.
 Sand drown (non-par.), tobacco, 218.
 Savoy (virus), sugar beet, 219, 220.
 Scald, apple, 2, 84.
 Scarring, bean, 3.
 grapefruit, 6.
 orange, 8.
 watermelon, 15.
 Scars, pea, 9, 90.
Schizophyllum sp., Acer, 224.
Sclerotinia sp., cherry, 168, 169.
 Passiflora, 241.
 peach, 154.
 pear, 171.
 Poinsettia, 242.
 cinerea, almond, 175.
 apricot, 167.
 cherry, 168.
 peach, 154.
 pear, 10.
 frusticola, apple, 164.
 apricot, 167.
 cherry, 77, 168.
 peach, 9, 76, 90, 154.
 plum, 170.
 prune, 168.
 Prunus japonica, 228.
 gladioli, Gladiolus, 238.
 homoeocarpa, Agrostis spp., 153.
 minor, Antirrhinum majus, 232.
 lettuce, 194.
 rot, strawberry, 14.
 sclerotiorum, Antirrhinum majus, 232.
 apricot, 167.
 bean, 3, 85, 203.
 Calendula, 233.
 carrot, 4, 85.
 celeriac, 178.
 celery, 5, 36, 177.
 endive, 185.
 lettuce, 7, 194.
 Paeonia, 241.
 pea, 9.

- Sclerotinia sclerotiorum*, potato, 210.
 strawberry, 159.
 Zinnia, 244.
trifoliorum, alfalfa, 150.
 Trifolium incarnatum, 152.
Sclerotium delphinii, Aconitum, 230.
 Ageratum, 230.
 Ajuga, 230.
 Delphinium, 236.
 Eupatorium, 237.
 Iris, 239.
 Sedum, 243.
 Viola, 244.
oryzae, see *Leptosphaeria salvini*.
rolfsii, bean, 203.
 cotton, 214.
 cowpea, 153.
 eggplant, 208.
 Jerusalem artichoke, 192.
 peanut, 213.
 pepper, 184.
 potato, 12, 210.
 soybean, 151.
 strawberry, 159.
 sweet potato, 193.
 tobacco, 217.
 tomato, 197.
Scolecotrichum graminis, *Hordeum jubatum*, 153.
Scolytus multistriatus, 19.
 Seed tuber decay, potato, 211.
Septobasidium curtisii, *Nyssa* sp., 226.
Septoria spp., *Aquilegia alpina*, 232.
 celery, 5, 86.
 Chrysanthemum hortorum, 235.
 ampelopsidis, *Ampelopsis*, 231.
 apii, celery, 178.
 graveolentis, celeriac, 178.
 celery, 178.
 chrysanthemella, *Chrysanthemum hortorum*, 235.
 chrysanthemi, see *S. chrysanthemella*.
 cucurbitacearum, squash, 190.
 divaricata, Phlox, 242.
 gladioli, *Gladiolus*, 238.
 lycopersici, tomato, 62, 197.
 norum, wheat, 145.
 obesa, *Chrysanthemum hortorum*, 235.
Septoria paeoniae berolinensis, *Paeonia*, 241.
 philadelphi, *Philadelphus*, 241.
 pisi, pea, 206.
 tritici, wheat, 146.
 unedonis, *Arbutus unedo*, 232.
 Shelling (undet.), grape, 175.
 Shothole, peach, 156.
 Shriveled ends, cucumber, 6.
 Silvering, apricot, 167.
 Skin crack, apple, 84.
 discoloration, orange, 8.
 Sodium bisulphite damage, grape, 6.
 Soggy breakdown, apple, 84.
Sorosporium reilianum, field corn, 147.
 sorghum, 144.
Sphaceloma violae, *Viola*, 244.
Sphacelotheca cruenta, sorghum, 144.
 sorgho, sorghum, 144.
Sphaeropsis sp., *Aesculus hippocastanum*, 224.
 Camellia, 234.
 Populus, 228.
 Quercus prinus, 228.
 Sorbus americana, 229.
 Taxus, 229.
 Ulmus, 230.
 malorum, *Pinus nigra*, 227.
Sphaerotheca humuli, hops, 215.
 Phlox, 242.
 raspberry, 173.
 strawberry, 159.
 pannosa persicae, peach, 155.
 Spindle tuber (virus), potato, 211.
 Spindling sprout (virus), potato, 211.
Spondylocadium atrovirens, potato, 210.
Sporocybe azaleae, *Azalea*, 233.
Sporodesmium scorzonerae, salsify, 212.
Sporotrichum, apple, 2.
 rot, pear, 90.
 Spotted wilt (virus), *Calendula*, 233.
 Callistephus chinensis, 234.
 celeriac, 178.
 celery, 178.
 endive, 185.
 Lathyrus odoratus, 239.
 lettuce, 194.
 Nicotiana sylvestris, 218.

Spotted wilt (virus), *Nicotiana tabacum*, 218.
 pepper, 185.
 spinach, 212.
 tomato, 95, 199.
Tropaeolum majus, 243.
Vicia faba, 152.
 witloof, 185.
Zantedeschia, 244.
Zinnia, 244.

Spray injury, apple, 166.

Stagnospora chenopodii, *Chenopodium bonus-henricus*, 234.
curtisii, *Narcissus*, 240.

Stalk rot, field corn, 56, 148.

Stem canker (sunscald), *Sorbus americana*, 229.
 twister, *Pseudotsuga taxifolia*, 228.

Stemphylium solani, tomato, 198.

Stereum purpureum, apple, 164.
 cherry, 169.

Stippen, see bitter pit.

Storage breakdown, onion, 89.
 pear, 10.
 rots, squash, 190.
 sweet potato, 59.
 spotting, grapefruit, 6.

Straighthead (undet.), rice, 143.

Strangulation (non-par.), cotton, 215.

Streak (virus), raspberry, 173.
 tobacco, 218.
 tomato, 95, 200.

Strumella coryneoides, black oak, 228.

Stunt (undet.), *Cyclamen*, 235.
 (virus), *Dahlia*, 236.

Sulphur dioxide injury, tomato, 15.

Sun scald, apple, 167.
 cantaloupe, 187.
 cucumber, 188.
 eggplant, 203.
 onion, 89.
 peach, 156.
 pepper, 183.
 potato, 11, 92.
 tomato, 201.

Suspected mosaic, see variegation.

T

Taphrina sp., Acer, 224.
 wild cherry, 169.
 cerasi, cherry, 169.
coerulescens, *Quercus*, 228.
 alba, 228.
 gambellii, 228.
 palustris, 228.
 virginiana, 228.

deformans, peach, 76, 155.
 johansonii, *Populus tremuloides*, 228.
 pruni, plum, 170.

Thielavia paradox, sugar cane, 221.

Thielaviopsis basicola, tobacco, 217.
 paradoxa, pineapple, 91.

Tilletia spp., wheat, 50.
 horrida, rice, 142.
 levis, wheat, 146.
 tritici, wheat, 146.

Tip blight (winter injury), *Picea* spp., 226.

Tip burn (non-par.), endive, 185.
 lettuce, 7, 88.
 potato, 61, 211.

Translucent spot (undet.), *Aleurites*, 224.

Tranzschelia pruni-spinosae, apricot, 167.
 peach, 155.
 plum, 170.
 prune, 168.

Trichothecium lignorum, Azalea, 233.

Tuber rot (bacterial), potato, 210.

Tubercularia persicina, rust on cotton, 214.

Twig blight, apple, 167.

Typhula graminum, *Agrostis* spp., 153.

U

Uncinula necator, grape, 174.

Urocystis cepulae, onion, 177.
 occulta, rye, 54, 143.
 tritici, wheat, 146.

Uromyces betae, garden beet, 179.
 mangel-wurzel, 180.
 sugar beet, 221.

- Uromyces betae*, swiss chard, 180.
caryophyllinus, *Dianthus caryophyllus*, 236.
fabae, pea, 206.
heterodermus, *Erythronium*, 237.
medicaginis, alfalfa, 150.
minor, *Trifolium parryi*, 152.
phaseoli typica, bean, 203.
 dry beans, 68.
 snap bean, 66, 67.
trifolii, *Trifolium* spp., 152.
 hybridum, 152.
 pratense, 152.
vignae, cowpea, 153.
Urophlyctis alfalfae, alfalfa, 150.
Ustilago spp., barley, 52, 141.
 avenae, oats, 55, 139.
 bromivora, *Bromus polyanthus*, 153.
 hordei, barley, 52, 141.
 hypodytes, *Oryzopsis hymenoides*, 153.
 levis, oats, 55, 139.
 nigra, barley, 141.
 nuda, barley, 141.
 striaeformis, *Agrostis alba*, 153.
 tritici, wheat, 50, 146.
 zeae, field corn, 56, 147.
 sweet corn, 58, 149.

V

- Valsa leucostoma*, peach, 155.
 plum, 170.
 Salix, 229.
 Variegation (cause unknown), apple, 165.
 (undet.), strawberry, 160.
Venturia inaequalis, apple, 74, 164.
 cinerascens, *Sorbus americana*,
 229.
 pyrina, pear, 73, 170.
Vermicularia sp., *Hedera helix*, 238.
 capsici, pepper, 184.
Verticillium spp., *Acer*, 224.
 platanoides, 224.
 rubrum, 224.
 saccharum, 224.
 Buxus, 233.
 Chrysanthemum hortorum, 235.
 Coleus, 235.

- Verticillium* spp., *Cotinus coggyvaria*, 225.
 peach, 155.
 peppermint, 216.
 strawberry, 159.
 Ulmus, 230.
 albo-atrum, *Acer* spp., 224.
 Antirrhinum majus, 232.
 Azalea, 233.
 cantaloupe, 187.
 cotton, 214.
 cowpea, 153.
 eggplant, 208.
 potato, 210.
 raspberry, 173.
 tomato, 198.
 watermelon, 186.
 dahliae, *Acer* spp., 224.
 Chrysanthemum hortorum, 235.
 Virus disease, bean, 204.
 Begonia, 233.
 Poinsettia, 242.
 Virus diseases, alfalfa, 151.
 cabbage, 182.
 celery, 178.
 cherry, 169.
 lettuce, 194.
 peach, 156.
 potato, 211.
 spinach, 212.
 squash, 190.
 strawberry, 160.
Volutella buxi, *Buxus*, 233.
 pachysandrae, *Pachysandra*, 240.

W

- Water-core, apple, 2.
 Weather data, 129-138.
 injury, cherry, 169.
 cucumber, 188.
 grape, 174.
 pea, 206.
 potato, 211.
 radish, 207.
 raspberry, 173.
 sweet potato, 14.
 White pine blister rust control in 1936,
 25-30.

White tip (undet.), rice, 143.
 tree (undet.), Aleurites, 224.

Wilt, mint, 216.

Phlox, 242.

Wind injury, spinach, 13, 93.

whip, cantaloupe, 187.

cucumber, 188.

Winter injury, apple, 167.

raspberry, 173.

Sorbus americana, 229.

Witches' broom (virus), alfalfa, 151.

blackberry, 171.

potato, 211.

X

"X" disease, peach, 156.

Prunus virginiana, 156.

Y

Yellow chlorosis (magnesium deficiency),
 peach, 156.

dwarf (virus), onion, 177.

Yellow dwarf (virus), potato, 211.

leaf, see variegation.

top (virus), alfalfa, 151.

Yellowing, broccoli, 85.

cucumber, 6.

Yellows, cabbage, 182.

Callistephus chinensis, 234.

carrot, 191.

celery, 178.

Chrysanthemum hortorum, 235.

leucanthemum, 235.

cucumber, 189.

endive, 185.

Erigeron, 237.

escarole, 185.

lettuce, 195.

peach, 156.

Petunia, 241.

Piqueria, 242.

salsify, 212.

Scabiosa, 243.

strawberry, 160.

sugar beet, 220.

Zinnia, 244.

